

# PAREXDAVCO

ParexDavco (Australia) Pty Limited

ABN 28 093 876 558

67 Elizabeth Street Wetherill Park NSW Australia 2164

Telephone: 61 2 9616 3000 Facsimile: 61 2 9725 5551

Toll Free Technical Advice Line: 1800 653 347

Email: [technical@parexdavco.com.au](mailto:technical@parexdavco.com.au) Website: [www.parexdavco.com.au](http://www.parexdavco.com.au)



PAREX GROUP

## MATERIAL SAFETY DATA SHEET

### 1. Identification of Material and Supplier

Product Name	Tradefix White		
Other Names	n.all.		
Recommended Use	For bonding ceramic tiles to a variety of substrates. Apply with a notched trowel		
Supplier Name	ParexDavco Pty Limited		
Address	67 Elizabeth Street, Wetherill Park, NSW Australia 2164		
Web Address	<a href="http://www.parexdavco.com.au">www.parexdavco.com.au</a>		
Telephone	61 2 9616 3000	Facsimile	61 2 9725 5551
Technical Support	1800 653 347	Emergency: Spill, First Aid etc	1800 807 001

### 2. Hazards Identification

Hazard Classification	This product is Non-Hazardous according to the criteria of the ASCC. Not a DG Substance according to the ADG Code. Not a Scheduled Poison according to the SUSDP. Not a flammable or combustible liquid according to the criteria of AS 1940. All components are listed under the AICS.
Risk Phrases	None allocated in the form sold (See also Page 2)
Safety Phrases	None allocated in the form sold (see also Page 3)

### 3. Composition/Information on Ingredients

Chemical Identity	Proportion	CAS No
Calcium Carbonate*	> 60 %	1317-65-3
Ingredients which have been determined to be non-hazardous or below cut off values	100 %	n.a.
* This substance is not available unless dried product is sawn, sanded or ground to produce dusts.		

## 4. First Aid Measures

### 4.1 Symptoms of Exposure by Route

#### SWALLOWED

Minor amounts ingested incidental to normal handling will have little or no effect. Larger amounts deliberately ingested will cause nausea, vomiting and stomach discomfort.

#### EYE

Will cause minor to moderate eye irritation.

#### SKIN

May cause minor irritation. Should be promptly removed by washing with soap and water.

#### INHALED

Vapour may cause slight irritation to upper respiratory tract.

### 4.2 First Aid Instructions

#### SWALLOWED

Do not induce vomiting. Rinse mouth clear with water and give two 250 ml glasses of water to drink. If patient involuntarily vomits encourage to lean forward to avoid aspirating. If symptoms persist seek prompt medical help.

#### EYE

Immediately: Hold eye open and flush with clean water for at least 15 minutes. While flushing, gently pull upper and lower eyelids away from eyes and ensure carefully flushed. If symptoms persist seek prompt medical attention.

#### SKIN

Remove contaminated clothing and footwear (while under safety shower if appropriate). Flush affected area with water for 3-5 minutes followed by washing gently with soap and water for a further 5 minutes. Rinse well and pat dry. If symptoms persist seek prompt medical attention.

#### INHALED

Remove patient (while wearing SCBA if concentrations are high) to fresh air. Allow to rest. Rinse mouth and nose with water. Provide artificial respiration if breathing stops. Seek prompt medical attention unless recovery is virtually immediate.

#### FIRST AID FACILITIES

Provide normal industrial first aid facilities including eye-wash stations and safety showers as appropriate.

#### Notes to Physician (for symptoms of over-exposure to this product see above)

##### Possible symptoms of Chronic Health Effects

Prolonged or repeated skin exposure may lead to drying and cracking of the skin.

#### Possible aggravated pre-existing conditions

None reported.

#### Suggested treatment for acute symptoms, known antidotes

Provide supportive care and treatment based on the patient's reaction to the exposure. For further information contact the :

**POISONS INFORMATION CENTRE 13 11 26 in all States (New Zealand Dial 0800 764 766)**

## 5. Fire Fighting Measures

### 5.1 Flammability and Explosion Hazards

Containers may rupture in fire conditions due to steam pressure. Product is non-flammable as sold but may burn when water content has boiled off.

### 5.2 Hazardous Combustion Products

CO<sub>x</sub> and NO<sub>x</sub>

### 5.3 Suitable Extinguishing Media

Select to suit surrounding fires or use water as fine spray or fog.

**Hazchem Code:** Not allocated

### 5.4 Precautions for Fire Fighters and Special Equipment

Wear SCBA and full turn out clothing. Avoid bodily contact with substance or run-off.

## 6. Accidental Release Measures

### 6.1 Emergency Procedures – Spills and Leaks (See Section 13 for disposal considerations)

Prevent material entering drains or waterways. Send unnecessary personnel out of area. Wear full protective clothing including rubber boots and respirator. Spread sand, soil or other inert absorbent over the pool. When saturated collect into metal or plastic drums or pails. Fit lids, label and place containers in a safe area to await disposal.

## 7. Handling and Storage

### 7.1 Handling Advice

Wear suitable protective clothing.

### 7.2 Storage Advice

Store in a cool, dry and well-ventilated area. Keep containers closed when not in use. Requirements under the ADG Code do not apply to this product.

## 8. Exposure Controls/ Personal Protection

### 8.1 Exposure Standards

An exposure standard has not been set by the ASCC for this product. Calcium Carbonate has an Exposure Standard of 10 mg/m<sup>3</sup> but is not available from this aqueous blend unless cured product is sawn or sanded when slight dusts will be generated.

*Substance*

*TWA*

*STEL*

### 8.2 Engineering Control Methods

If used out doors natural ventilation is normally adequate. If used in enclosed spaces with poor ventilation provide mechanical ventilation to comfort levels.

### 8.3 Personal Protective Equipment Respiratory Protection

Not usually required. If vapour concentration is uncomfortably high use respirator fitted with an organic vapour filter to AS 1715 & 1716. Use SCBA in confined spaces. Use painters mask if sanding, grinding or sawing dried product and generating dusts.

#### Eye Protection

Not normally required. If mists or splashes are likely wear safety goggles or full face shield to AS 1337.

#### Gloves

When mixing and applying wear rubber, PVA or neoprene gloves to AS 2161.

#### Clothing

Wear cotton or Tyvec coveralls fastened at the neck and wrist. Supplement with a rubber or PVA apron if required.

## 9. Physical and Chemical Properties

<b>Appearance:</b>	White, viscous liquid	<b>Odour:</b>	Faint ammonia
<b>Freezing/ Melting Point:</b>	n.d.	<b>Boiling Point:</b>	Initial 100 °C
<b>Density:</b>	1.65	<b>Vapour Pressure:</b>	n.d.
<b>Solubility in water :</b>	insoluble (miscible)	<b>Volatiles:</b>	n.d.
<b>Flash Point:</b>	n.a.	<b>Flammability Limits:</b>	n.a.
<b>Auto Ignition Point:</b>	n.a.	<b>AS 1940 Classification:</b>	n.a.
<b>Other Properties</b>	An aqueous solution containing less than 1% acticides.		

## 10. Stability and Reactivity

Under normal conditions of use the product is stable.

## 11. Toxicological Information

No product relevant data found.

## 12. Ecological Considerations

May have an adverse effect of aquatic organisms. Slowly biodegrades.

## 13. Disposal Considerations

Disposal must be in accordance with local regulations for non-hazardous industrial chemical wastes.

## 14. Transport Information

Requirements under the ADG Code, the IMDG Code or the IATA DG Regulations do not apply to this product.

## 15. Regulatory Information

Labelling requirements under the *Code of Practice for the labelling of Workplace Substances (ASCC:2012[1994])*, the ADG Code or the SUSDP do not apply to this product.

## 16. Other Information

**Date of Issue:** 12/08/2008 Revised MSDS (Version 1.1) revised to comply with National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition NOHSC: 2011 (2003).

**Data Sources used:** in the preparation of this MSDS include: "Chempendum" and "MSDS plus Cheminfo" published in CD format by CCOHS Canada 2005 - 4."TOMES" a CD database published by Micromedex, USA, "Hazardous Properties of Industrial Materials" Van Nostrand Reinhold NY, USA . "List of Designated Hazardous Substances" NOHSC 10005:1999, "National Exposure Standards" NOHSC 1003:1995 . **Abbreviations used:** n.d = not determined, n.a = not applicable, n.all =not allocated, SUSDP=Standard for the Uniform Scheduling of Drugs and Poisons, ADG=Australian Dangerous Goods Code, IATA =International Air Transport Association, (Dangerous Goods Regulations), IMDG=International Maritime Dangerous Goods (Code), ASCC=Australian Safety and Compensation Council. IARC=International Agency(for) Research (of) Cancer.

### Disclaimer

No representative of ParexDavco Pty Ltd or any other person has authority to add to, or alter in any way, any MSDS or the information supplied thereon. Any alterations render this MSDS invalid. The information contained herein is believed by ParexDavco Pty Ltd and SSC Pty Ltd to be accurate at the issue date shown and in accordance with information available to us. Persons dealing with the products referred to in this MSDS do so at their own risk since their actions are beyond our control. ParexDavco Pty Ltd and SSC Pty Ltd accept no liability whatsoever for damage or injury arising from the use of the information contained in this document